


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED


NOTES

1. MARK STAR AS SHOWN, NO. HT. = .1



**UNDER REVIEW**  
URF 19-1130 19.10.30 (VM)

ENGRAVE T/N, S/N,  
"MADE IN USA"




DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	--
USED ON MODEL	?
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: XXX ± .010 FRACTIONS ± 1/32 XX ± .03 ANGLES ± 5° X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RED BARN MACHINE	
TITLE	
PLATE	
DWG NO.	269T9340-001
SCALE	NTS
DATE	07-01-05
SHEET	1 of 3

PART #	QTY	DESCRIPTION
-1	1	410 SS Ø8.5 x .375

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**UNDER REVIEW**

URF 19-1130 19.10.30 (VM)

PART #	QTY	DESCRIPTION
-2	1	6160 AL 1.75 x 3.5 x .25 PLATE
-3	2	410 SS 1.25 x 3.75 x 3.75
-4	2	410 SS $\phi 1.25$ x .875
-5	2	TITANIUM $\phi 1.25$ ID WASHER (NOT SHOWN)
-6	2	TITANIUM $\phi 1.11$ ID C-CLIP (NOT SHOWN)
-7	4	TITANIUM #4-40 x 1/2 SOC. HD. CAP SCREW (NOT SHOWN)
-8	18	TITANIUM #8-32 x 1/4 SOC. FLT HD SCREW (NOT SHOWN)
-9	4	TITANIUM 1/4 x 80 SET SCREW

USED ON MODEL

?

DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	AS SHOWN
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
XXX ± .010	FRACTIONS ± 1/32
XX ± .03	ANGLES ± .5°
X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	


RED BARN MACHINE	
TITLE	
HANDLE ASSEM.	
DWG NO.	269T9340-001
SCALE	NTS
DATE	07-01-05
SHEET	2 OF 3

UNDER REVIEW

URF 19-1130 19.10.30 (VM)

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED


FRONT



NOTES

1. FRONT & BACK FINISHED 16 RMS

2. ALL HOLES  $\perp .002 A$



SECTION A-A

DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
XXX $\pm .010$	FRACTIONS $\pm 1/32$
XX $\pm .03$	ANGLES $\pm .5^\circ$
X $\pm .1$	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 $\times 45^\circ$ PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RED BARN MACHINE	
TITLE	
PLATE	
DWG NO.	269T9340-001
SCALE	NTS
DATE	07-01-05
SHEET	1 of 3

PART #	QTY	DESCRIPTION
-1	1	410 SS $\phi 8.5 \times .375$

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

UNDER REVIEW  
URF 19-1130 19.10.30 (VM)

			DRAWN BY: PERRITT	<div><div>RB</div>RED BARN MACHINE</div> <div>TITLE</div> <div>NAME</div>	
			APPROVED		
			HEAT TREAT		
			FINISH SPEC		
			USED ON MODEL	BLACK OXIDE	DWG NO. 269T9340-001
			?	UNLESS OTHERWISE SPECIFIED	
				DIMENSIONS ARE IN INCHES	
				TOLERANCES ON:	
PART #	QTY	DESCRIPTION		DECIMALS .XXX ± .010	SCALE NTS
-1	1	41L40 Ø5/8 x 3/4		FRACTIONS ± 1/32	
				.XX ± .03	
				ANGLES ±.5°	
				UNLESS OTHERWISE SPECIFIED	DATE 07-01-05
				1. BREAK ALL SHARP EDGES	
				.015 x 45° PR .015 R	SHEET 1 of 1
				2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

UNDER REVIEW  
URF 19-1130 19.10.30 (VM)

	PART #	QTY	DESCRIPTION
	-1	1	4140 3/16 x 1 1/2 x 4

DRAWN BY: COLE	<div>RB</div> RED BARN MACHINE
CHECKED	
HEAT TREAT FINISH SPEC	
TITLE	

USED ON MODEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .010 FRACTIONS ± 1/32 .XX ± .03 ANGLES ± 5° .X ± .1	TITLE
?		

	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	DWG NO.	PART #	REV.
		SCALE NTS	DATE 9-15-03	SHEET 1 of 1